

## 1. Identification

### Product Identification

**Product Identifier:** CSS V-Wrap™ Tstrata TC Acrylic Based Topcoat  
**Recommended Use:** CSS V-Wrap™ Tstrata TC is an acrylic-based, high-build protective topcoat.  
**Use Restrictions:** For industrial use only. To ensure proper installation, use according to package directions. Complete application instructions can be found in Simpson Strong-Tie catalogs or online at [strongtie.com](http://strongtie.com).

### Company Identification

**Company:** Simpson Strong-Tie Company Inc.  
**Address:** 5956 W. Las Positas Blvd.  
Pleasanton, CA 94588, USA  
**Phone:** 1-800-999-5099  
**Website:** [www.strongtie.com](http://www.strongtie.com)  
**Emergency:** 1-800-535-5053 (US/Canada)  
1-352-323-3500 (International)

For most current SDS, please visit our website at [www.strongtie.com/sds](http://www.strongtie.com/sds)

## 2. Hazard Identification

### General Information

CSS V-Wrap™ Tstrata TC is a one-component, acrylic-based, high-build protective topcoat for use with CSS V-Wrap FRP systems, concrete and masonry. CSS V-Wrap Tstrata TC provides a concrete-compatible, gray color sand-textured finish. This product has been assessed according to the Globally Harmonized System (GHS). The product can be assumed to carry its hazards until the product has been fully cured. The final hardened material is gray in color and can be considered nonhazardous. Some hazards apply upon grinding or cutting through hardened product. This Safety Data Sheet covers hazards and responses for the safe use and handling of CSS V-Wrap™ Tstrata TC

### GHS Classification

#### Classification according to HazCom2012 (GHS)

<b>Physical Hazards:</b>	Not Classified.		
<b>Health Hazards:</b>	Carcinogenicity	Category 1	H350: May cause cancer.
<b>Environmental Hazards:</b>	Acute Aquatic Hazard	Category 3	H402: Harmful to aquatic life.

**Main Symptoms:** Irritation of skin. Symptoms include redness, itching, and burning; discomfort in the chest, shortness of breath, or coughing. May cause rash/ allergic reaction to skin. May cause cancer.

### GHS Label Elements



Chronic  
Health

**Contains:** Quartz, Titanium Dioxide, Aluminum Oxide, Talc, Ethylene Glycol  
**Signal Word:** **WARNING!**  
**Hazard Statements:**  
H350: Suspected of causing cancer.  
H402: Harmful to aquatic life.

**Precautionary Statements:**  
**Prevention:**  
P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P260: Do not breathe mist or vapor.  
P264: Wash hands thoroughly after handling.  
P272: Contaminated clothing should not be allowed out of the workplace.  
P280: Wear protective gloves/clothing/eye protection/face protection.

**Response:**  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P332+P313: If skin irritation occurs: Get medical advice/attention.

	P362+P364:	Take off contaminated clothing and wash it before reuse.
	P304+P340:	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313:	If eye irritation persists: Get medical advice/attention.
	P308+P313:	If exposed or concerned: Get medical advice/attention.
	P314:	Call a POISON CENTER/doctor if you feel unwell.
	P391:	Collect spillage.
<b>Storage:</b>	P403:	Store in a well-ventilated place.
	P405:	Store locked up.
	P420:	Store away from incompatible materials.
<b>Disposal:</b>	P501:	Dispose of contents/container in accordance with local/regional regulations.

Supplemental Label Information: None known.

**Hazards Not Otherwise Classified (HNOC)**

None known.

**3. Composition Information**

**General Information**

This product is a mixture. Hazardous ingredients for each component are listed below. May include other nonhazardous ingredients. May include other trace ingredients, see Section 15.

**List of abbreviations and symbols:**

Classification: Global Harmonized System Classifications

The full text for H-phrases is displayed in section 16. All concentrations are in percent by weight unless otherwise noted.

**Composition – All concentrations are in percent by weight unless otherwise indicated.**

Chemical Name	Weight %	CAS Number	EC Number
Crystalline Silica, Quartz <b>Classifications:</b> Carc. 1A: H350, STOT RE 2: H373	20-50	14808-60-7	238-878-4
Titanium Dioxide <b>Classifications:</b> Carc. 2: H351	5-10	13463-67-7	236-675-5
Aluminum Oxide <b>Classifications:</b> Acute Tox. 4: H302+H332, Carc. 2: H351	0.1-1	1344-28-1	215-691-6
Talc <b>Classifications:</b> Not Classified.	0.1-1	14807-96-6	238-877-9
Ethylene Glycol <b>Classifications:</b> Acute Tox. 4: H302	0.1-1	107-21-1	203-473-3
Chlorothalonil <b>Classifications:</b> Acute Tox.: H300, Eye Irrit. 1: H318, Skin Sens. 1: H317, STOT SE 3 : H335, Carc. 2: H351, Aquatic Tox: H400+H410	0.01-0.1	1897-45-6	217-588-1

**4. First-Aid Measures**

**General Information**

Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If exposed or concerned: Get medical advice/attention. Wash contaminated clothing before reuse.

**Routes of Exposure**

<b>Eye Contact:</b>	Immediately flush eyes with plenty of cool water for at least 15 minutes while holding the eyes open. Remove contact lenses if present and easy to do. If redness, burning, blurred vision, or swelling persists, <b>consult a physician.</b>
<b>Skin Contact:</b>	Remove contaminated clothing and product; wash affected area with soap and water. Do not apply greases or ointments. If redness, burning, or swelling persists, <b>consult a physician.</b>
<b>Ingestion:</b>	Rinse mouth. If you feel unwell, <b>consult a physician immediately.</b>
<b>Inhalation:</b>	Remove patient to fresh air. Give oxygen or artificial respiration if needed. If patient continues to experience difficulty breathing, <b>consult a physician.</b>

### Most Important Symptoms

Irritant effects. Respiratory irritation/harm. Symptoms include redness, itching, and; discomfort in the chest, shortness of breath, or coughing. May cause rash/allergic reaction to skin.

## 5. Fire-Fighting Measures

- Suitable Extinguishing Media:** Water fog, carbon dioxide, dry chemical powder, foam. Use extinguishing media appropriate for surrounding material.
- Additional Information:** None known.
- Hazards during Fire-Fighting:** Material can splatter above 212°F (100°C), polymer film can burn. Irritating and toxic gases/fumes may be released during a fire. Do not allow run-off from fire-fighting to enter drains or water courses.
- Fire-Fighting Procedures:** Use standard fire-fighting procedures and consider the hazards of other involved materials. In case of fire and/or explosion do not breathe fumes. Self-contained breathing apparatus and full protective clothing must be worn. Move containers from fire area if you can do so without risk. Cool containers with flooding quantities of water until well after fire is out. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

## 6. Accidental Release Measures

### Personal Precautions

**Non-emergency personnel:** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

**Emergency personnel:** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate personal protection.

### Clean-Up Methods

- Small spills (uncured):** Wipe up with absorbent material (e.g. cloth, fleece). Place in leak-proof containers. Seal tightly for proper disposal. Clean surface thoroughly to remove residual contamination.
- Large spills (uncured):** Stop the flow of material, if this is without risk. Dike far ahead of spill to contain material. Use a non-combustible material like vermiculite, sand or earth to soak up the product. Place in leak-proof containers. Seal tightly for proper disposal. Following product recovery, flush area with water. Keep combustibles away from spilled material.
- Cured Material:** Remove with appropriate solvent. Ensure good work practice and use of personal protective equipment as needed to control exposure to vapors.

### Environmental Precautions

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and Storage

### Handling

Wear appropriate personal protective equipment. Keep away from open flames, hot surfaces and sources of ignition. Avoid contact with eyes, skin, and clothing. When in use do not eat, drink, or smoke. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. To obtain optimal performance from Simpson Strong-Tie products, the products must be properly installed and used in accordance with installation instructions and design limits provided by Simpson Strong-Tie.

### Storage

Store in a closed container away from incompatible materials (Section 10 of the SDS). Keep in original container. Keep container tightly closed. Store in a cool, dry place out of direct sunlight, between 50-90°F (10-32°C). Keep away from heat and sources of ignition. Protect from physical damage. Protect from freezing. Keep out of reach of children.

## 8. Exposure Controls / Personal Protection

### Personal Protective Equipment

- Protective Measure:** Wear appropriate personal protective equipment.
- Eye Protection:** Wear chemical splash goggles or safety glasses with side shield.
- Hand Protection:** Wear chemical-resistant gloves such as: Nitrile, neoprene, butyl.
- Skin and Body Protection:** Wear long sleeve shirts/long pants and other clothing as required to minimize contact.

**Respirator Protection:** The use of a respirator is not required during normal use of this product. An approved respirator should be worn whenever workplace conditions warrant respirator use.

**General Hygiene:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Engineering Controls**

When using indoors good general ventilation should be used. Ventilation rates should be matched to conditions to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and emergency shower.

**Exposure Limits**

Component	OSHA (PEL)	ACGIH (TLV)	NIOSH Pocket Guide
Titanium Dioxide (CAS 13463-67-7)	15 mg/m <sup>3</sup> (Total dust)	10 mg/m <sup>3</sup>	N/E
Ethylene Glycol (CAS 107-21-1)	125 mg/m <sup>3</sup>	100 ppm (ceiling, aerosol)	N/E
Talc (CAS 14807-96-6)	N/E	N/E	2 mg/m <sup>3</sup> (respirable)
Crystalline Silica, Quartz (CAS 14808-60-7)	$\frac{10}{\%SiO_2 + 2} \text{ mg/m}^3$	0.025 mg/m <sup>3</sup> (respirable)	0.05 mg/m <sup>3</sup> (respirable)

**9. Physical and Chemical Properties**

<b>Physical State:</b>	Liquid	<b>Freezing/Melting Point:</b>	-0.00 °C (32 °F)
<b>Form:</b>	Liquid	<b>Initial Boiling Point:</b>	100 °C (212 °F)
<b>Color:</b>	Gray	<b>Flash Point:</b>	N/E
<b>Odor:</b>	Mild	<b>Evaporation Rate:</b>	Slower than Ether
<b>Odor Threshold:</b>	N/E	<b>Relative Density:</b>	1.50
<b>pH:</b>	9-10	<b>VOC:</b>	30 g/L
<b>Flammability:</b>	N/E	<b>U/L Flammability:</b>	N/E
<b>Vapor Pressure:</b>	N/E	<b>Vapor Density:</b>	N/E
<b>Solubility:</b>	Soluble in water.	<b>Kow:</b>	N/E
<b>Decomposition:</b>	N/E	<b>Viscosity:</b>	N/E

**10. Stability and Reactivity**

**Reactivity:** No data available.

**Chemical Stability:** Stable under normal storage conditions.

**Condition to Avoid:** Avoid heat or contamination.

**Substances to Avoid:** Strong acids. Strong bases.

**Hazardous Reactions:** No data available.

**Decomposition Products:** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

**11. Toxicological Information**

**Likely Routes of Exposure**

**Ingestion:** Expected to be a low ingestion hazard. Ingestion may cause irritation and malaise.

**Inhalation:** Prolonged inhalation may be harmful. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.

**Skin contact:** Causes skin irritation. May cause allergic skin reaction.

**Eye contact:** Direct contact with eyes may cause temporary irritation.

**Symptoms:** Redness, itching, and burning; discomfort in the chest, shortness of breath, or coughing. Rash/dermatitis.

**Information on Toxicological Effects**

**Acute Effects**

**Toxicity:** Not classified.

Component	Estimate
CSS V-Wrap™ Tstrata TC Toxicity Estimate	
<b>Acute, Oral, LD50</b>	8000
<b>Acute, Dermal, ATEmix</b>	124,000
<b>Acute, Inhalation, LC50</b>	7

**Skin corrosion/irritation:** May cause skin irritation.  
**Eye damage/eye irritation:** Direct eye contact may cause temporary irritation.  
**Respiratory sensitization:** No data available.  
**Skin sensitization:** May cause allergic skin reaction.  
**Aspiration hazard:** No data available.  
**Specific target organ toxicity**  
**Single exposure:** No data available.

**Chronic Effects**

**Germ cell mutagenicity:** No data available  
**Carcinogenicity:** May cause cancer.  
**Reproductive toxicity:** No data available.  
**Specific target organ toxicity**  
**Repeated exposure:** No data available.

Carcinogen / Reproductive Toxin / Mutagen Information					
Component	% In Blend (approx.)	IARC Monographs	NTP	ACGIH	Other
Quartz (14808-60-7)	20-50	1	KNOWN	A2	CA65
Titanium dioxide (13463-67-7)	5-10	2B	---	---	CA65
Ethylene Glycol (107-21-1)	0.1-1	---	---	---	CA65
Chlorothalonil (1897-45-6)	0.01-0.1	---	---	---	CA65

IARC: 1- Carcinogenic 2- Possibly carcinogenic 3 – Not classifiable as to carcinogenicity 4 – Probably not carcinogenic  
 NTP: Known to be human carcinogen or Reasonably anticipated to be a human carcinogen  
 ACGIH – A1 – Confirmed carcinogen A2 – Suspected carcinogen A3 – Animal carcinogen A4 – Not classified A5 – Not suspected  
 CA65 – California Prop 65

**Further Information**

Toxicological, ecotoxicological, physical, and chemical properties may not have been fully investigated. Hazard data above is estimated based on best available information. Some workers with certain pre-existing medical conditions such as: asthma, allergies, or impaired pulmonary and/or liver functions, or who may be particularly susceptible to this material, may be affected by exposure to this material.

**12. Ecological Information**

**General Information**

Information given is based on data on the components and the ecotoxicology of similar products. This material is classified as harmful to aquatic life. Avoid release to the environment.

**Supporting Data**

Component	Estimate
CSS V-Wrap™ Tstrata TC Toxicity Estimate	
<b>Aquatic, Fish, LC50</b>	>10,000 mg/l, 96 Hours
<b>Aquatic, Crustacea, EC50</b>	>10,000 mg/l, 48 Hours

**Persistence and degradability:** No data available.  
**Bioaccumulative potential:** No data available for the product.  
**Mobility in soil:** No data available.

**Other Adverse Effects**

Harmful to aquatic organisms. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

**13. Disposal Considerations**

**Waste Disposal of Substance:** Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Container Disposal:** Empty containers or liners may retain some product residues; follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**Disposal of Cured Product:** Remove from surface with appropriate solvent. Dispose in closed container according to local/regional regulations.

**14. Transportation Information**

**DOT:** CSS V-Wrap™ Tstrata TC is not regulated for transport.

**IMDG/IATA:** CSS V-Wrap™ Tstrata TC is not regulated for transport.

**Additional Information**

**Special precautions for user:** Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable.

This information does not cover all specific regulatory or operational requirements of this product. The classifications for transportation may vary by container volume or different regional or national regulations.

**15. Regulatory Information**

**United States**

**Federal Regulations:** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D):** Not regulated.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

Formaldehyde	LISTED
Crystalline Silica/Quartz	LISTED

**CERCLA Hazardous Substance List (40 CFR 302.4):**

Ammonium Hydroxide (CAS 1336-21-6)	RQ :1000 lbs.
Ethylene Glycol (CAS 107-21-1)	RQ :5000 lbs.
Formaldehyde (CAS 50-00-0)	RQ :100 lbs.
Ammonia (CAS 7664-41-7)	RQ :100 lbs.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

Hazard Categories:				
Immediate	Delayed	Fire	Pressure	Reactivity
Yes	Yes	No	No	No

**SARA 302 Extremely hazardous substance:** Yes

Component	CAS Number	% In Blend (approx.)	CERCLA RQ	TPQ
Formaldehyde	50-00-0	Trace	100 lbs.	500 lbs.
Ammonia	7664-41-7	Trace	100 lbs.	500 lbs.

**SARA 311/312 Hazardous chemical:** Yes

**SARA 313 (TRI reporting):** Not present in regulated quantities.

**California Proposition 65:**

**WARNING:** This product can expose you to chemicals which are known to the State of California to cause cancer, reproductive harm, or other birth defects. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Carcinogen / Reproductive Toxin / Mutagen Information					
Component	% In Blend (approx.)	IARC Monographs	NTP	ACGIH	Other
Quartz (14808-60-7)	20-50	1	KNOWN	A2	CA65 (Carcinogenic)
Ethylene Glycol (107-21-1)	0.1-1	---	---	---	CA65 (Developmental)
Titanium dioxide (13463-67-7)	5-10	2B	---	---	CA65 (Carcinogenic)
Chlorothalonil (1897-45-6)	0.01-0.1	--	--	--	CA65 (Carcinogenic)

IARC: 1- Carcinogenic 2- Possibly carcinogenic 3 - Not classifiable as to carcinogenicity 4 - Probably not carcinogenic  
NTP: Known to be human carcinogen or Reasonably anticipated to be a human carcinogen  
ACGIH - A1 - Confirmed carcinogen A2 - Suspected carcinogen A3 - Animal carcinogen A4 - Not classified A5 - Not suspected  
CA65 - California Prop 65

### Canada

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

### International

The product is classified and labeled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work.

This product is not subject to or not applicable for any of the following International Regulations; **Stockholm Convention, Rotterdam Convention, Kyoto Protocol, Montreal Protocol, Basel Convention.**

### International Inventories

<b>Australia</b>	One or more components of this product have an unknown status on the Australian Inventory of Chemical Substances (AICS). Contact Simpson Strong-Tie Environmental Health and Safety if the status of this product on the inventory is desired.
<b>Canada</b>	All components of this product are included on the Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL).
<b>China</b>	One or more components of this product have an unknown status on the Inventory of Existing Chemical Substances in China (IECSC). Contact Simpson Strong-Tie Environmental Health and Safety if the status of this product on the inventory is desired.
<b>Europe</b>	One or more components of this product have an unknown status on the European Inventory of Existing Commercial Chemical Substances (EINECS) or are exempt from listing. Contact Simpson Strong-Tie Environmental Health and Safety if the status of this product on the inventory is desired.
<b>Japan</b>	One or more components in this product have an unknown status on the Inventory of Existing and New Chemical Substances (ENCS). Contact Simpson Strong-Tie Environmental Health and Safety if the status of this product on the inventory is desired.
<b>Korea</b>	One or more components of this product have an unknown status on the Existing Chemicals List (ECL). Contact Simpson Strong-Tie Environmental Health and Safety if the status of this product on the inventory is desired.
<b>New Zealand</b>	One or more components of this product have an unknown status on the New Zealand Inventory. Contact Simpson Strong-Tie Environmental Health and Safety if the status of this product on the inventory is desired.
<b>Philippines</b>	One or more components of this product have an unknown status on the Philippine Inventory of Chemicals and Chemical Substances (PICCS). Contact Simpson Strong-Tie Environmental Health and Safety if the status of this product on the inventory is desired.
<b>United States &amp; Puerto Rico</b>	All components of this product are listed on the Toxic Substances Control Act (TSCA) Inventory or are not required to be listed.

### 16. Other Information

Date Prepared or Revised: July 2022  
Supersedes: New  
Contact Simpson Strong-Tie Environmental Health and Safety at [EHS@strongtie.com](mailto:EHS@strongtie.com).

### Abbreviations

ACGIH: American Conference of Governmental Industrial Hygienists

# CSS V-Wrap™ Tstrata TC Acrylic Based Topcoat

## SAFETY DATA SHEET



<b>CAS No.:</b>	Chemical Abstract Service Registry Number
<b>CERCLA:</b>	Comprehensive Environmental Response, Compensation and Liability Act (U.S. EPA)
<b>HPR:</b>	Hazardous Product Regulations (Canada)
<b>GHS:</b>	Globally Harmonized System of Classification and Labeling of Chemicals
<b>HMIS:</b>	Hazardous Materials Identification System
<b>IARC:</b>	International Agency for Research on Cancer
<b>IATA:</b>	International Air Transport Association
<b>IMDG:</b>	International Maritime Dangerous Goods code
<b>NIOSH:</b>	National Institute of Occupational Safety and Health (U.S.)
<b>NFPA:</b>	National Fire Protection Association (US)
<b>NTP:</b>	National Toxicology Program (US)
<b>PEL:</b>	Permissible Exposure Limit
<b>SARA:</b>	Superfund Amendments and Reauthorization Act (U.S. EPA)
<b>STEL:</b>	Short Term Exposure Limit (15 minute Time Weighted Average)
<b>STOT:</b>	Specific Target Organ Toxicity (GHS Classification)
<b>TLV:</b>	Threshold Limit Value
<b>TSCA:</b>	Toxic Substances Control Act (U.S.)
<b>TWA:</b>	Time Weighted Average (exposure for 8-hour workday)
<b>VOC:</b>	Volatile Organic Compounds
<b>WHMIS:</b>	Canadian Workplace Hazardous Materials Information System

### Full Text of H – Phrases Under Section 3

<b>H300:</b>	Fatal if swallowed.
<b>H302:</b>	Harmful if swallowed.
<b>H317:</b>	May cause an allergic skin reaction.
<b>H318:</b>	Causes serious eye damage.
<b>H332:</b>	Harmful if inhaled.
<b>H335:</b>	May cause respiratory irritation.
<b>H351:</b>	Suspected of causing cancer.
<b>H373:</b>	May cause damage to organs through prolonged or repeated exposure.
<b>H400:</b>	Very toxic to aquatic life.
<b>H410:</b>	Very toxic to aquatic life with long lasting effects.

### Disclaimer

This Safety Data Sheet (SDS) is prepared by Simpson Strong-Tie Co. in compliance with the requirements of OSHA 29 CFR Part 1910.1200. The information it contains is offered in good faith as accurate as of the date of this SDS. This SDS is provided solely for the purpose of conveying health, safety, and environmental information. No warranty, expressed or implied, is given. Health and Safety precautions may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations.

© 2022 Simpson Strong-Tie Company Inc.

### Internal

#### FOR INTERNAL USE ONLY

CSS V-Wrap™ Tstrata TC:  
XCOM3B